



## CP-X

### cPOT ready-made cables

cPot ready made cable is a lockable solution allowing fast and easy wiring of the cPot grounding system. Additional locking clips are removable by tool only according to the DIN 15700.


## Features & Benefits

- ✓ Ready made female – female lockable cable assembly
- ✓ Easy cable length adjustment (for example, for conduit installation) due to demountable connector / axial screwed contact
- ✓ Connector with locking clips are removable by tool only according to the DIN 15700.
- ✓ High quality rubber cable H07RN-F with 16mm<sup>2</sup> and 25mm<sup>2</sup> conductor cross-section
- ✓ Extendable with cPot coupler (CP-MM)
- ✓ Easy mating / unmating connector in gloves

## Markets & Applications

- ✓ Markets: Professional video wall / lighting / audio
- ✓ Mobile grounding / potential equalization applications for festivals, exhibitions, sport, and other live events
- ✓ Semi-permanent grounding / potential equalization: Theaters, indoor events

# CONTRIK cPot system configuration



## Article Variations

## Technical Information

Product	
Description	CP-X*
Gender	CP-X*-* : Female – female CP-X*-R*-* : Adapter cables female / male – eyelet
Cable type	H07RN-F

Electrical	
Contactor resistance	0,3 mΩ

Article name	Details	Order name
CP-X16-001	Cable 1 m cPot [f] cPot [f] 16 mm <sup>2</sup> H07RN-F1X	1027356
CP-X16-002	<b>Cable</b> 2 m cPot [f] cPot [f] 16 mm <sup>2</sup> H07RN-F1X	1027357
CP-X16-005	<b>Cable</b> 5 m cPot [f] cPot [f] 16 mm <sup>2</sup> H07RN-F1X	1027358
CP-X16-010	<b>Cable</b> 10 m cPot [f] cPot [f] 16 mm <sup>2</sup> H07RN-F1X	1027359
CP-X16-015	<b>Cable</b> 15 m cPot [f] cPot [f] 16 mm <sup>2</sup> H07RN-F1X	1027360
CP-X16-020	<b>Cable</b> 20 m cPot [f] cPot [f] 16 mm <sup>2</sup> H07RN-F1X	1027361
CP-X16-025	<b>Cable</b> 25 m cPot [f] cPot [f] 16 mm <sup>2</sup> H07RN-F1X	1027362
CP-X25-010	<b>Cable</b> 10 m cPot [f] cPot [f] 25 mm <sup>2</sup> H07RN-F1X	1027363
CP-X25-025	<b>Cable</b> 25 m cPot [f] cPot [f] 25 mm <sup>2</sup> H07RN-F1X	1027364
CP-X25-050	<b>Cable</b> 50 m cPot [f] cPot [f] 25 mm <sup>2</sup> H07RN-F1X	1027365
CP-X25-R8M-00025	<b>Cable</b> 0,25 m eyelet M8 cPot [m] 25 mm <sup>2</sup> H07RN-F1X	1027366
CP-X25-R12M-00025	<b>Cable</b> 0,25 m eyelet M12 cPot [m] 25 mm <sup>2</sup> H07RN-F1X	1027367
CP-X25-R12F-00025	<b>Cable</b> 0,25 m eyelet M12 cPot [f] 25 mm <sup>2</sup> H07RN-F1X	1027368