

# Power Rack Xtreme

## CPR16-C2-F7-CB

1x CEE16A In / Daisy chain, 7 x Schuko Typ F Out.

Power Rack Xtreme is a powerful and highly reliable distribution solution for installation in the 19" Rack. It is ideally suited for amplifier rack wiring application.



## Features & Benefits

- High quality electrical and electronical component from the renowned brands
- Circuit protection with residual current device (RCCB) and miniature circuit breakers (MCB)
- High quality assembly in EU
- Attractive price / value ratio

## Markets & Applications

- Markets: Professional audio esp. amp rack wiring / lighting / video wall
- Mobile applications: Festivals, live events. Control panels / rooms.
- Semi-permanent applications: Theaters, studios, fairs. Control panels /rooms.

## Ordering information

| Article name   | Details  | Order code |
|----------------|--|------------|
| CPR16-C2-F7-CB | Front: IN 1x CEE16A; Daisy chain 1x CEE16A; OUT 1x Schuko Type F; Circuit protection: 1x RCCB (3-pole + N), 3x MCB (1-pole).<br>Back: OUT 6x Schuko Type F | 1028797    |

## Technical Information

| Product       |                                      |
|---------------|--------------------------------------|
| Input device  | 1x CEE16A 5P red (front)             |
| Daisy chain   | 1x CEE16A 5P red (daisy chain) front |
| Output device | 7x Schuko socket with lid            |

| Electrical              |   |
|-------------------------|---|
| Circuit protection      | 1x RCCB 40/0,03 A (3-pole + N)<br>3x MCB C16 (1-pole) |
| Phase control indicator | L1, L2, L3, green                                     |
| Rated voltage           | 415 V/AC, 50 Hz                                       |
| Rated Current           | CEE socket: 415 V Link<br>Schuko socket 230V 16A      |

| Mechanical           |                                      |
|----------------------|--------------------------------------|
| Weight               | 3.8 kg                               |
| Type of construction | 19" Housing 2 HE, 1.5 TE             |
| Dimensions           | 483 x 88 x 104 mm (without fittings) |

| Material |       |
|----------|-------|
| Housing  | Metal |
| Color    | black |

## Environmental

|                          |             |
|--------------------------|-------------|
| <b>Protection class</b>  | IP20        |
| <b>Temperature range</b> | -5 to +40°C |