




# Power Rack Xtreme

## CPR32-C2-F9-CB

1x CEE32A In / Daisy chain, 9x Schuko Type F Out

Power Rack Xtreme is a powerful and highly reliable distribution solution for installation in the 19" Rack. It is ideally suited for amplifier rack wiring application.



## Features & Benefits

- ✓ High quality electrical and electronical component from the renowned brands
- ✓ Circuit protection with residual current device (RCCB) and miniature circuit breakers (MCB)
- ✓ High quality assembly in EU
- ✓ Attractive price / value ratio

## Markets & Applications

- ✓ Markets: Professional audio esp. amp rack wiring / lighting / video wall
- ✓ Mobile application: Festivals, live events. Control panels / rooms.
- ✓ Semi-permanent applications: Theaters, studios, fairs. Control panels /rooms.

## Ordering information

Article name	Details
CPR32-C2-F9-CB	Front: IN 1x CEE32A; Daisy chain 1x CEE32A; OUT 3x Schuko Type F; Circuit protection: 3x MCB. Back: OUT6x Schuko Type F

## Technical Information

Product	
Input device	1x CEE32A 5P red (front)
Daisy chain	1x CEE32A 5P red (daisy chain) front
Output device	9x Schuko Type F socked with lid (front)

Electrical	
Circuit protection	3x MCB 1pol C16
Phase control indicator	L1, L2, L3, green
Rated voltage	415 V/AC, 50 Hz
Rated current	CEE Socket: 415 V Schuko Socket: 230 V 16 A

### Mechanical

Weight	3.8 kg
Type of construction	19" Housing 2 HE, 1.5 TE
Dimensions	483 x 88 x 104 mm (without fittings)

### Material

Housing	Metal
Color	Black

### Environmental

Protection class	IP20
Temperature range	-5 to +40°C