



POWER RACK XTREME

CPRX32-C1-C2T3F3-RB

On request modification.

IN: Input cable 2m 1x CEE32A, **OUT:** 2x CEE16A, 3x powerCON TRUE1, 3x Schuko Type F.

Power Rack Xtreme is a powerful and highly reliable distribution solution for installation in the 19" Rack. It is ideally suited for amplifier rack wiring application.



Features & Benefits

- ✓ High quality electrical and electronical component from the renowned brands
- ✓ Circuit protection with residual current device (RCCB) and miniature circuit breakers (MCB)
- ✓ High quality assembly in EU
- ✓ Attractive price / value ratio

- ✓ Markets: Professional audio esp. amp rack wiring / lighting / video wall
- ✓ Mobile applications: Festivals, live events. Control panels / rooms.
- ✓ Semi-permanent applications: Theaters, studios, fairs. Control panels /rooms.

Ordering information

Article name	Details	Order code
CPRX32-C1-C2T3F3-RB	Front: 12x MCB (1-pole), 2x RCCB (3-pole + N), Back: IN: 1x Input cable 2m, 1x CEE32A, OUT: 2x CEE16A, 3x powerCON TRUE1, 3 x Schuko Type F.	1038249

Technical Information

Product	
Input device	1x Input cable 2m 1x CEE32A
Daisy chain	2x CEE16A (6x MCB 1P, 1x RCCB 40A 3P+N) 3x powerCON TRUE1 and 3 x Schuko Type F (6x MCB 1P, 1x RCCB 40A 3P+N) 1x cPot
Output device	
Main switch	
Power meter	

Phase control indicator	
Rated voltage	400V
Rated Current	32A

Mechanical	
Weight	
Type of construction	19" Housing 3 HE

Material	
Housing	Metal
Color	Black

Environmental	
Protection class	IP20
Temperature range	-5 to +40°C