



## Power Strip XO CCV5RD-6T1-C (EU)

**1x CEE16A IN - 6x powerCON TRUE1® TOP OUT**

Power Strip Xtreme Outdoor (XO) is a compact distribution solution for mobile outdoor applications. Rugged EASYLEN® housing is ideally suited for outdoor usage and demanding applications under harsh conditions. 1x CEE16A In and up to 6x powerCON® TRUE1® TOP Out.

## Features & Benefits

- ✓ Extreme robust and safe EASYLEN® housing with leather grain texture
- ✓ Mains receptacles CEE16A In & daisy chaining and highly reliable NEUTRIK® powerCON® TRUE1® TOP Out
- ✓ Flame retardant (UL94-V2) and non-conductive housing material
- ✓ High outdoor protection (IP65, IK, ..)
- ✓ Light weight, compact and stackable housing design
- ✓ Versatile mounting options

## Applications and markets

- ✓ Main markets: Professional video walls, event lighting, pro-audio
- ✓ Mobile application: Festivals, live events
- ✓ Semi-permanent applications: Theaters, studios

## Ordering Information

Article name	Details	Order code
CCV5RD-6T1-C	IN: 1xCEE16A - OUT: 6x powerCON® TRUE1® TOP	1027454

## Technical Information

Product	
Input device	1 x CEE16-5
Output device	6 x powerCON® TRUE1® TOP
Daisy chaining	none

Electrical	
Contact resistance / protection class	Protection class II
Dielectric strength	0.5 kV / mm
Rated voltage	400 V AC
Rated Current	16 A
Number of electrical contacts	4 + PE
Phases	multi-phase (3+N+PE)

## Mechanical

Dimensions	489.6 x 92 x 117.2mm
Conductor cross section	2.5 mm <sup>2</sup>
Weight	2.1 kg
Mounting options	Truss clip, truss clamp, mounting wholes for pegging or suspension

## Material

Housing	Easylen
Color	black

## Environmental

Standards compatibility accotding to UL94	V2
Protection class	IP65
Temperature range	-25 °C bis +40°C