



Power Turtle X CPTX-T1-T7 (EU)

1 x powerCON TRUE1 TOP In- 7 x powerCON® TRUE1® TOP Out - Indoor (IP20)

US version: [Power Turtle X CPTX-T1-T7 USA](#)



Power Turtle Xtreme Indoor (X) is a compact distribution solution for mobile applications. This distribution box is ideally suited for Indoor applications with restricted space / height and harsh usage conditions, for example in theaters, exhibition or similar applications. It also offers a very attractive price point.



Features & Benefits

- ✓ Very compact, reduced height
- ✓ Extreme robust and safe EASYLEN® housing with leather grain texture
- ✓ Highly reliable NEUTRIK® powerCON® TRUE1® TOP recepticals for In, Out and Daisy chaining
- ✓ Flame retardant (UL94-V2) and non-conductive housing material
- ✓ High mechanical protection (high IK)
- ✓ Light weight, and stackable housing design
- ✓ Versatile mounting options

- ✓ Attractive price point

Market & Application

- ✓ Markets. Professional video wall / lighting / audio
- ✓ Mobile application. Festivals, live events, exhibitions
- ✓ Semi-permanent applications. Theaters, studios

Article order data

Article name	Details	Order code
CPTX-T1-T7	IN: powerCON® TRUE1® TOP OUT: 7x powerCON® TRUE1® TOP Indoor (IP20)	1035597

Technical Information

Product	
Input device	1x powerCON® TRUE1® TOP
Output device	7x powerCON® TRUE1® TOP
Daisy chaining	1x powerCON® TRUE1® TOP

Electrical	
Contact resistance / protection class	Protection class II
Dielectric strength	0.5 kV / mm
Rated voltage	250V AC
Rated Current	16A (USA: 20A)
Number of electrical contacts	2 + PE
Phases	single-phase

Mechanical

Lifetime	> 5000 mating cycles
Dimensions	220 x 150 x 65 mm
Conductor cross section	2,5 mm ²
Weight	1.0 kg
Mounting options	Truss clamp, mounting holes for pegging or suspension
Type of construction	Stackable

Material

Housing	Easylen
Color	black

Environmental

Standards compatibility	UL94-V0
Protection class	IP20
Temperature range	-25 °C to +70 °C